

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (CANCELLED)
2. (CANCELLED)
3. (CANCELLED)
4. (CANCELLED)
5. (CANCELLED)
6. (CANCELLED)
7. (CANCELLED)
8. (CANCELLED)

9. (Previously Presented) A reproducing apparatus for reproducing multiplexed coded data and control data from a recording medium, the multiplexed coded data comprising coded audio-data and coded video-data and being recorded as a plurality of separate data-packs, each of which has a header placed at the head thereof, said header contains information for synchronizing coded video-data with coded audio data, the control data being recorded separately from the multiplexed coded data, said reproducing apparatus comprising:

a recording medium controller for reading the multiplexed coded data and control data; and

a coded data control section for controlling the reproducing of the multiplexed coded data by controlling the recording medium controller based on the control data;

wherein the control data includes key-frame location information, the key-frame being at least one of an I-frame and P-frame, the key-frame location information including information on a head position of a data-pack including a head of the coded video-data of the key-frame or a head of the coded audio-data corresponding to the key-

frame; and

said reproducing apparatus further comprises a coded data control portion including a sequence table memory area and a key frame table memory area,

wherein the control data in said sequence table memory area includes an order of reproduction sequences,

wherein the control data in said key frame table memory area indicates the location of key frame data.

10. (Previously Presented) A reproducing apparatus as defined in claim 9, wherein the key-frame location information also includes information on a head or a tail of coded video-data of the key-frame.

11. (CANCELLED)

12. (Previously Presented) A recording apparatus for recording multiplexed coded data and control data to a recording medium, the multiplexed coded data comprising coded audio-data and coded video-data as a plurality of separate data-packs, each of which has a header placed at the head thereof, said header contains information for synchronizing coded video-data with coded audio data, the control data being recorded separately from the multiplexed coded data, said recording apparatus comprising:

a recording medium controller for recording the multiplexed coded data and control data; and

a coded data control section for controlling the generation of the control data according to the multiplexed coded data to be recorded to the recording medium;

wherein the control data includes key-frame location information, the key-frame being at least one of an I-frame and P-frame, the key-frame location information including information on a head position of a data-pack including a head of the coded

video-data of the key-frame or a head of the coded audio-data corresponding to the key-frame; and

said recording apparatus further comprises a coded data control portion including a sequence table memory area and a key frame table memory area,

wherein the control data in said sequence table memory area includes an order of reproduction sequences,

wherein the control data in said key frame table memory area indicates the location of key frame data.

13. (Previously Presented) A recording apparatus as defined in claim 12, wherein the key-frame location information also includes a head or a tail of the coded video-data of the key-frame.

14. (CANCELLED)